सुहास्य DENTAL CLINIC

Post-Operative Instructions: Dental Implants

FOR THE REMAINDER OF THE DAY:

- Do not spit. Use a tissue to wipe your mouth as needed, or swallow your saliva.
- Do not use a drinking straw. Drink straight from the cup.
- Do not smoke.
- Keep fingers and tongue away from the surgical area.
- Use ice packs on the surgical area (side of face) for the first 48 hours; apply ice 20 minutes on and 10 minutes off.

Spitting, the use of a straw, smoking, and poking the surgical area can dislodge the blood clot that is forming and will cause bleeding from the area. Also, smoking can increase the chances of an infection.

BLEEDING:

Some minor bleeding is expected after dental implant surgery. It will usually subside quickly and stop within an hour or two after surgery. A little oozing is normal and may persist for several hours.

- Keep gauze on the surgical area with some biting pressure for 30–45 minutes.
- If all else fails, call the clinic.

SWELLING:

Most patients will experience some swelling after surgery in the mouth. It may be mild or severe and is different for every patient. The swelling may increase for the first 24–48 hours before it starts to go away. It may last for several days. Some bruising may also develop on the face.

DIET:

You may start with soft food as soon as the local anesthetic wears off. Drink plenty of fluids. (Do not use a straw). Your diet should consist mainly of soft, easily swallowed foods and cool drinks. Avoid anything that might get stuck in your teeth, so no seeds, nuts, rice, popcorn, or similar foods.

You may resume a regular diet as soon as you feel up to it; however, please try not to chew directly on the implant sites

ORAL HYGIENE:

You may start rinsing tomorrow, very gently, with some warm salt water. You may brush your teeth per usual, though be very careful near the surgical sites.

SUTURES/STICHES

The sutures used during your procedure are non-dissolvable. You need to visit clinic 8-10 days after surgery for removal.

BONE GRAFT MATERIAL:

If your surgeon placed bone graft material at the time the dental implant was placed, you might notice some gritty material in your mouth.

This is nothing to worry about and should subside within a day or two.

MEDICATIONS:

You were probably given one or more prescriptions for medications. Take all as directed. Call us if you experience severe nausea or diarrhea, or cannot swallow your pills.

- **Antibiotics**: Complete the course. Do not quit halfway.
- Pain Medicine: Usually it is necessary to take pain medication in a scheduled manner

DENTAL PROSTHESIS

Partial dentures, flippers, or full dentures should not be used after surgery unless otherwise advised by your doctor. These may need to be adjusted at or after your first post-operative return visit.

ACTIVITY:

Limit physical activity during the first 24–48 hours after surgery. Overexertion may lead to post-operative bleeding and discomfort.

Please follow these instructions as closely as possible. They are designed to help you heal quickly and comfortably.

WILL I BE ABLE TO SEE THE IMPLANT?

Depending on the location and stability of the implant being placed, your surgeon may opt to bury the implant under the gum tissue. In time, you will return and have the implant uncovered so the implant can be restored.

If stability is optimal, the second stage procedure can be bypassed, and an attachment is placed that protrudes through the gum tissue, which will be visible. Once the bone has healed, the restoring dentist will be able to access the implant without the need for further surgery.

WHEN CAN THE CROWN BE PLACED?

A dental crown can be attached to a dental implant once the implant has fused to the bone. This is a process called osseointegration.

The length of time the bone must heal varies from case to case and will be discussed with your surgeon. The length of time needed for osseointegration is a function of the bone quality, quantity, and implant stability at the time of placement.

If you have a question about your procedure or treatment plan, please contact us at any time.

Dr Tushar S Shirude MDS
Periodontist & Oral Implantologist